

Product Description: 3.2W IP67 Fixed Driveover

Fixed stainless steel IP67 LED driveover lights. Toughened frosted glass able to withstand 2000kg at 30km/h making it suitable for driveways and pedestrian areas. Fitted with 0.5m of rubber cable, integrated driver and must be used with mounting sleeve supplied. Non-dimmable.

| SKU Code | Wattage | Colour | Lumens | Lumens/Watt | Finish Colour | SKU Type |
|---------------|---------|--------|--------|-------------|-----------------|--------------|
| AU-DUR201A/65 | 3.2 | 6500 | 410 | 129 | Stainless Steel | Non Dimmable |

Line Drawing

Polar Curve

Colour

Feature & Benefits

- IP67 Mains voltage 304 stainless steel LED driveover
- Suitable for driveways and pedestrian areas
- Toughened frosted glass able to withstand 2000kg at 30km/h
- Integrated LED driver - no separate driver required
- 16 NON-REPLACEABLE LEDs with up to 30,000 hours life makes fittings ideal for inaccessible locations
- 3.5W for highly efficient LED operation and low operating costs (Due to the nature of LED's a slight colour variation from lamp to lamp is possible)
- White and Blue LED versions available
- Fitted with 0.5m of rubber cable
- N.B. Dimensions given include mounting sleeve
- Product is available with Blue LED's and White LED's
- Non-dimmable

Product Specs:

| | | | |
|-----------------------|-------------|--------------------|---------|
| Input Voltage | 220~240V AC | Input Frequency | 50/60HZ |
| Power Factor | 0.85 | IP Rating | IP67 |
| Lifetime L70 (hrs) | 20000hrs | IK Rating | IK08 |
| Overall Diameter (mm) | 105 | Weight (Kg) | 0.596 |
| Height (mm) | 145 | Base Diameter (mm) | 102 |
| Cutout Diameter (mm) | 102-102 | | |

Compliance & Approvals:

Warranty:

This product has a warranty period of 1 Year. Warranties may be available on certain products as indicated in the product description. Warranties are valid from the date of purchase. The warranty is invalid in the case of improper use, installation, tampering, removal of the Q.C. date label or installation in an improper working environment or installation. Should this product fail during the warranty period it will be replaced free of charge, subject to the correct installation of the original product and subsequent return of the faulty unit. Aurora does not accept responsibility for any installation costs associated with the replacement of this product and Aurora reserves the right to alter specifications without prior notice.