




Product Description: UniPac™ 1800mm 72W IP65 Polycarbonate LED Anti-Corrosive


The UniPac™ range of anti-corrosives is the perfect cost effective solution to replace traditional T8 fluorescent fittings. Formed from a single polycarbonate body and using high lumen LED chips, it's engineered for installation in the most challenging environments making the decision to switch to LED that much easier. Also available with microwave sensor and corridor function.

SKU Code	Wattage	Colour	Lumens	Lumens/Watt	Beam Angle	Finish Colour	SKU Type
EN-ANTE872/40	72	4000	6120	85	120	White	Non Dimmable
EN-ANTE872/40EM	72	4000	6120	85	120	White	Emergency
EN-ANTE872/40EMMS	72	4000	6120	85	120	White	Emergency & Microwave
EN-ANTE872/40EMR	72	4000	6120	85	120	White	Emergency
EN-ANTE872/40MS	72	4000	6120	85	120	White	Microwave
EN-ANTE872/40MSC	72	4000	6120	85	120	White	Microwave with Corridor

Line Drawing



Polar Curve



Colour

Feature & Benefits

- IP65 vandal resistant polycarbonate housing and opal diffuser provide smooth, even light distribution with no hot spots
- Ideal for both interior and exterior applications e.g. car parks
- Push fit terminals in both ends for through cable wiring and quick and easy installation
- 20mm conduit entry knockouts on each end cap
- Supplied with mounting clips and cable glands
- Microwave sensor detection range up to 12 metres
- Light detection from 30 lux
- Adjustable hold time 5 seconds to 10 minutes
- IK08 impact rating
- 1.5kV surge protection
- 3 year warranty

Product Specs:

Input Voltage	100~240V AC	Input Frequency	50/60HZ
Power Factor	0.9	IP Rating	IP65
Lifetime L70 (hrs)	25000hrs	IK Rating	IK08
Lamp Base	Other	Width (mm)	110
Length (mm)	1826	Weight (Kg)	2.320
Height (mm)	95	Product Type	Linears
Operating Temp. (Min) °C	-20°C	Operating Temp. (Max) °C	40°C

Compliance & Approvals:



Warranty:

This product has a warranty period of 3 Years. Warranties may be available on certain products as indicated in the product description. Warranties are valid from the date of purchase. The warranty is invalid in the case of improper use, installation, tampering, removal of the Q.C. date label or installation in an improper working environment or installation. Should this product fail during the warranty period it will be replaced free of charge, subject to the correct installation of the original product and subsequent return of the faulty unit. Aurora does not accept responsibility for any installation costs associated with the replacement of this product and Aurora reserves the right to alter specifications without prior notice.