





Product Description:

Blade™ 10.5W 1000mm Undercabinet Light


The slim profile, undercabinet light bar Blade[™] can be adapted to suit the application. With multiple configurations, lengths can be connected using the link leads or the connectors making it ideal for use in kitchens, display cabinets and wardrobes. LED light points are eliminated by the frosted diffuser creating an even light distribution. Easy to install using the plug in power lead and a 12V LED driver.

SKU Code	Wattage	Colour	Lumens	Lumens/Watt	Beam Angle	Finish Colour	SKU Type
EN-CL105T/30	10.5	3000	590	57	90	Frosted White	Non Dimmable
EN-CL105T/40	10.5	4000	640	61	90	Frosted White	Non Dimmable

Line Drawing

Polar Curve

Colour





Feature & Benefits

- Benefit from longer life and higher energy savings compared to traditional T4 & T5 fluorescent fittings
- Suitable for mounting under, in or above kitchen cabinets, shelves, display cabinets, bookcases etc
- Power and interconnection leads supplied separately
- · Fittings can be used on their own, connected end to end, connected with the corner bar or using interconnection leads (maximum run of 2 metres)
- Plug and play PIR sensor available as an accessory
- PIR detection distance up to 1m, detection range 60°. Time lag can be adjusted to 1 minute or 5 minutes, distance and sensitivity can also be adjusted.
- On/off touch switch allows independent control of interconnected fittings
- Supplied with mounting clips
- Requires 12V LED driver (sold separately)
- 3 year warranty

Product Specs:

Input Voltage	12~12V AC
Lifetime L70 (hrs)	30000hrs
Width (mm)	25
Weight (Kg)	0.254
Product Type	Undercabinet

IP Rating	IP20
Lamp Base	None
Length (mm)	1000
Height (mm)	9
Operating Temp. (Min) °C	45°C

Compliance & Approvals:









This product has a warranty period of 3 Years. Warranties may be available on certain products as indicated in the product description. Warranties are valid from the date of purchase. The warranty is invalid in the case of improper use, installation, tampering, removal of the Q.C. date label or installation in an improper working environment or installation. Should this product fail during the warranty period it will be replaced free of charge, subject to the correct installation of the original product and subsequent return of the faulty unit. Aurora does not accept responsibility for any installation costs associated with the replacement of this product and Aurora reserves the right to alter specifications without prior notice.