




#### Product Description:

#### Ostia Sqr2 110W 2ft Dimmable 0-10V Highbay


Ideal one-for-one replacement of conventional lighting systems such as HID and fluorescent. Applications include manufacturing, warehousing and other large indoor spaces with mounting heights from 10'-40'. Luminaire shall be suspended a minimum 24" from ceiling. Surface mounting is not permitted.

SKU Code	Wattage	Colour	Lumens	Lumens/Watt	Beam Angle	Finish Colour	SKU Type
AR-LHB2110BD/40	110	4000	14000	128	120	White	1-10V Dimmable
AR-LHB2110BD/50	110	5000	14000	128	120	White	1-10V Dimmable

#### Line Drawing



#### Polar Curve



#### Colour

## Feature & Benefits

- Suitable for use in warehousing, manufacturing, conference centers, industrial and retail applications
- Significant energy savings and maintenance free
- Suitable for most 0-10V dimmers - allows for installation with daylight or occupancy sensors
- Suspension from heights of 10' to 40'
- Accessory kit includes suspension hangers, 2 x suspension chains, mounting box when installing with 3/4" all thread pipe
- Operating temperature -4°F to 122°F
- Suitable for Damp location
- High transmission PS diffuser fitted as standard
- 120° beam angle
- High power factor 0.90
- Color temperature 5000K
- (L70) at 50,000 hour lifetime
- 5 Year warranty

## Product Specs:

Input Voltage	100~277V AC	Input Frequency	50/60HZ
Power Factor	0.90	IP Rating	Damp Location
Lifetime L70 (hrs)	50000hrs	Width (mm)	320
Length (mm)	604	Weight (Kg)	4.33
Height (mm)	96	Product Type	Highbays
Operating Temp. (Min) °C	-20°C	Operating Temp. (Max) °C	50°C

## Compliance & Approvals:



## Warranty:

This product has a warranty period of . Warranties may be available on certain products as indicated in the product description. Warranties are valid from the date of purchase. The warranty is invalid in the case of improper use, installation, tampering, removal of the Q.C. date label or installation in an improper working environment or installation. Should this product fail during the warranty period it will be replaced free of charge, subject to the correct installation of the original product and subsequent return of the faulty unit. Aurora does not accept responsibility for any installation costs associated with the replacement of this product and Aurora reserves the right to alter specifications without prior notice.