




Product Description: T8 Simply Fit-Hybrid Tube

The T8 Simply Fit-Hybrid LED Tube provides a simple retrofit solution for those that want to benefit from the savings of an LED tube without the time and investment associated with removing the existing ballasts and re-wiring each fixture. Compatible with Instant Start Electronic, Rapid Start and Program Start.

The Simply Fit-Hybrid can also be used as a bypass tube wiring directly to the mains, providing dual functionality.

SKU Code	Colour	Lumens	Lumens/Watt	Wattage	Beam Angle	CRI
AR-T8G184FFR/35	3500	2340	130	18	120	80
AR-T8G184FFR/40	4000	2340	130	18	120	80
AR-T8G184FFR/50	5000	2340	130	18	120	80



Feature & Benefits

- Compatible with a range of Electronic, rapid start, programme start and Magnetic Ballasts
- Please visit us.auroralighting.com/Support/Product-Support for full compatibility list
- Suitable as a ballast bypass with direct wire to mains
- No danger of electric shock from the lamp pins during installation
- All electronic ballasts and PFC capacitors must be removed from the circuit
- Glass Tube
- High power factor 0.9
- High Color Rendering - CRI>80
- Instant start, no flickering, no buzzing
- Non-dimmable
- Suitable for damp locations, IP44
- DLC (DesignLights Consortium®) certified
- (L70) at 50,000 hour lifetime
- 5 year warranty

Product Specs:

Input Voltage	100~277V AC	Input Frequency	50/60HZ
Power Factor	0.9	Operating Temp. (Max) °C	40°C
Overall Diameter (mm)	29	Lamp Base	G13
Lamp Type	T8	Lifetime Hours	50000hrs
Operating Temp. (Min) °C	-20		

Compliance & Approvals:

Warranty:

This product has a warranty period of . Warranties may be available on certain products as indicated in the product description. Warranties are valid from the date of purchase. The warranty is invalid in the case of improper use, installation, tampering, removal of the Q.C. date label or installation in an improper working environment or installation. Should this product fail during the warranty period it will be replaced free of charge, subject to the correct installation of the original product and subsequent return of the faulty unit. Aurora does not accept responsibility for any installation costs associated with the replacement of this product and Aurora reserves the right to alter specifications without prior notice.