



Product Description: IP44 Fixed Downlight


Recessed LED IP44 fixed TBT. COB LED 12W up to 1075lm. Cast aluminum body. Reflector in high performance faceted aluminum, medium beam 38 °. Passive heatsink with metal fins. Equipped with a non-dimmable 700mA LED driver. Actual consumption of 15W. White finish. Delivered with clear and frosted glasses. Ra> 80. Power factor 0.8. 30 000 hours at L70. 2 years warranty.

SKU Code	Wattage	Colour	Lumens	Lumens/Watt	Beam Angle	Finish Colour
AL-13065IP	15	4000	1075	72	38	Matt White
AL-13066IP	15	3000	1020	68	38	Matt White

Line Drawing

Polar Curve

Colour



(OD) 82mm Diamètre Ø
(RD) 74mm Prof. enc.

Feature & Benefits

- Spot déco blanc ou alu brossé en fonte d'aluminium
- COB LED 12W jusqu'à 1075lm pour IRC 80
- Consommation Réelle de 16.5W
- Non gradable
- Réflecteur en aluminium facetté haut rendement, 45°
- Dissipateur passif nouvelle génération avec ailettes en métal
- Driver 700mA fourni
- fixe en version IP44

Product Specs:

Input Voltage	220~240V	Input Frequency	50/60HZ
Power Factor	0.9	IP Rating	IP44
Lifetime L70 (hrs)	30000hrs	IK Rating	IK05
Overall Diameter (mm)	83	Weight (Kg)	0.28
Height (mm)	81	Product Type	Downlights
Cutout Diameter (mm)	-72	Operating Temp. (Max) °C	25°C

Compliance & Approvals:



Warranty:

This product has a warranty period of 2 Years. Warranties may be available on certain products as indicated in the product description. Warranties are valid from the date of purchase. The warranty is invalid in the case of improper use, installation, tampering, removal of the Q.C. date label or installation in an improper working environment or installation. Should this product fail during the warranty period it will be replaced free of charge, subject to the correct installation of the original product and subsequent return of the faulty unit. Aurora does not accept responsibility for any installation costs associated with the replacement of this product and Aurora reserves the right to alter specifications without prior notice.