




Product Description: RT[™] Pro 7W Fixed IP65 Triac Dimmable Downlight


RT[™] PRO is a 7W Integrated IP65 Fixed Downlight, with a slim profile making it perfect for almost all applications and ceilings even when covered by all types of insulation. The RT PRO is packed with features and benefits which allow for a quick and cost effective installation whilst still providing users with optimum performance and energy saving LED technology.

SKU Code	Wattage	Colour	Lumens	Lumens/Watt	Beam Angle	Finish Colour	SKU Type
EN-D7D/30	7	3000	680	98	60	White	Triac Dimmable
EN-D7D/40	7	4000	700	100	60	White	Triac Dimmable
EN-D7DBLK/30	7	3000	680	98	60	Black	Triac Dimmable
EN-D7DBLK/40	7	4000	700	100	60	Black	Triac Dimmable
EN-D7DSN/30	7	3000	680	98	60	Satin Nickel	Triac Dimmable
EN-D7DSN/40	7	4000	700	100	60	Satin Nickel	Triac Dimmable

Line Drawing




Polar Curve



Colour



Black



Satin Nickel



White

Feature & Benefits

- Dimmable integrated downlight for use in almost any ceiling
- Edge to edge multifaceted polycarbonate lens for low glare and halogen like appearance
- High performance up to 100lm/W
- Airtight for reduced energy loss
- Wide 60° beam angle delivers increased light distribution
- Can be covered by any type of ceiling insulation material
- Slim recess depth of 31mm for use in shallow ceiling voids (60mm space required with driver)
- IP65 & Class 2 rated for wet environments (zone 2)
- Aluminium high end sleek finish
- Supplied with remote led driver with loop-in loop-out fast terminals for ease of installation
- 5 Year Warranty

Product Specs:

Input Voltage	220~240V AC	Input Frequency	50/60HZ
Power Factor	0.85	IP Rating	IP65
Lifetime L70 (hrs)	50000hrs	Overall Diameter (mm)	82
Weight (Kg)	0.254	Height (mm)	31
Product Type	Downlights	Cutout Diameter (mm)	68-70
Operating Temp. (Min) °C	-20°C	Operating Temp. (Max) °C	45°C

Compliance & Approvals:



Warranty:

This product has a warranty period of 5 Years. Warranties may be available on certain products as indicated in the product description. Warranties are valid from the date of purchase. The warranty is invalid in the case of improper use, installation, tampering, removal of the Q.C. date label or installation in an improper working environment or installation. Should this product fail during the warranty period it will be replaced free of charge, subject to the correct installation of the original product and subsequent return of the faulty unit. Aurora does not accept responsibility for any installation costs associated with the replacement of this product and Aurora reserves the right to alter specifications without prior notice.