





Product Description:

Volta™ 100W Adjustable IP65 Floodlight

The IP65 driverless range of VoltaTM offers a comprehensive range of beam angles to suit different commercial applications. With their ultra slim profile and high performance, now you can light large external areas with the choice of Narrow, wide and asymmetric beams.

SKU Code	Wattage	Colour	Lumens	Lumens/Watt	Beam Angle	Finish Colour	SKU Type
EN-FLC100AB/40	100	4000	12000	120	65	Black	Non Dimmable
EN-FLC100NB/40	100	4000	12000	120	60	Black	Non Dimmable
EN-FLC100WB/40	100	4000	12000	120	90	Black	Non Dimmable


Line Drawing

Polar Curve

Colour










Asymmetric



Narrow

Feature & Benefits

- Die-cast aluminium housing for excellent heat dissipation
- Durable high quality paint
- Tempered glass lens cover
- Multiple lens options Narrow, Wide and Asymmetric
- Delivering 120lm/W
- IP65 rated

- IK08 rated impact resistance
- Pre-wired with 800mm of cable
- Warning Note: Not suitable for post top mounting
- For ambient temperatures from -40 $^{\circ}$ C to 50 $^{\circ}$ C
- EN-FLCST Stem accessory for the 30W-100W floodlights (must be purchased separately)
- 5 Year Warranty

Product Specs:

Input Voltage	100~240V AC
Power Factor	0.9
Lifetime L70 (hrs)	50000hrs
Lamp Base	None
Weight (Kg)	4.220
Product Type	Floodlights
Operating Temp. (Max) °C	50°C

Input Frequency	50/60HZ		
IP Rating	IP65		
IK Rating	IK08		
Width (mm)	286		
Height (mm)	365		
Operating Temp. (Min) °C	-40°C		

Compliance & Approvals:















This product has a warranty period of 5 Years. Warranties may be available on certain products as indicated in the product description. Warranties are valid from the date of purchase. The warranty is invalid in the case of improper use, installation, tampering, removal of the Q.C. date label or installation in an improper working environment or installation. Should this product fail during the warranty period it will be replaced free of charge, subject to the correct installation of the original product and subsequent return of the faulty unit. Aurora does not accept responsibility for any installation costs associated with the replacement of this product and Aurora reserves the right to alter specifications without prior notice.