




Product Description: Stratus™ PRO Adjustable Spotlight

Adjustable single or three circuit track spotlight with slimline track adaptor. Available in 34° and 53° beam angle with LEDs delivering an exceptional 97lm/W. Available in black and white.

SKU Code	Wattage	Colour	Lumens	Lumens/Watt	Beam Angle	Finish Colour	SKU Type
EN-TK31341CBLK/30	30	3000	3000	100	34	Black	Non Dimmable
EN-TK31341CBLK/40	30	4000	3000	100	33	Black	Non Dimmable
EN-TK31341CW/30	30	3000	3000	100	33	White	Non Dimmable
EN-TK31341CW/40	30	4000	3000	100	33	White	Non Dimmable
EN-TK31343CBLK/30	30	3000	3000	100	33	Black	Non Dimmable
EN-TK31343CBLK/40	30	4000	3000	100	33	Black	Non Dimmable
EN-TK31343CW/30	30	3000	3000	100	33	White	Non Dimmable
EN-TK31343CW/40	30	4000	3000	100	33	White	Non Dimmable
EN-TK31531CBLK/30	30	3000	3000	100	57	Black	Non Dimmable
EN-TK31531CBLK/40	30	4000	3000	100	57	Black	Non Dimmable
EN-TK31531CW/30	30	3000	3000	100	57	White	Non Dimmable
EN-TK31531CW/40	30	4000	3000	100	57	White	Non Dimmable
EN-TK31533CBLK/30	30	3000	3000	100	57	Black	Non Dimmable
EN-TK31533CBLK/40	30	4000	3000	100	57	Black	Non Dimmable
EN-TK31533CW/30	30	3000	3000	100	57	White	Non Dimmable
EN-TK31533CW/40	30	4000	3000	100	57	White	Non Dimmable

Line Drawing Polar Curve Colour



Feature & Benefits

- Cast aluminium body
- 34° or 53° beam angle
- Delivering 97lm/W
- Available in single or three circuit track spotlight
- Compatible with industry standard global circuit track
- Adjustable rotation 315° and 280° tilt
- Black or White finish options
- 5 Year Warranty

Product Specs:

Input Voltage	220~240V AC	Input Frequency	50/60HZ
Power Factor	0.9	IP Rating	IP20
Lifetime L70 (hrs)	50000hrs	IK Rating	IK08
Width (mm)	82	Length (mm)	106
Overall Diameter (mm)	82	Height (mm)	165

Compliance & Approvals:



Warranty:

This product has a warranty period of 5 Years. Warranties may be available on certain products as indicated in the product description. Warranties are valid from the date of purchase. The warranty is invalid in the case of improper use, installation, tampering, removal of the Q.C. date label or installation in an improper working environment or installation. Should this product fail during the warranty period it will be replaced free of charge, subject to the correct installation of the original product and subsequent return of the faulty unit. Aurora does not accept responsibility for any installation costs associated with the replacement of this product and Aurora reserves the right to alter specifications without prior notice.