



Product Description: BimPro™CS 32W Three Circuit Spotlight

Adjustable colour switchable three circuit track spotlight with slimline track adaptor. Available in 24° and 36° beam angle with LEDs delivering up to 97lm/W. Available in black and white, the aluminium housing allows for excellent heat dissipation.

SKU Code	Wattage	Colour	Lumens	Beam Angle	Finish Colour	SKU Type
EN-TK3224CSBLK	32	3000K	2900	24	Black	Non Dimmable
EN-TK3224CSBLK	32	3500K	3100	24	Black	Non Dimmable
EN-TK3224CSBLK	32	4000K	2900	24	Black	Non Dimmable
EN-TK3224CSW	32	3000K	2900	24	White	Non Dimmable
EN-TK3224CSW	32	3500K	3100	24	White	Non Dimmable
EN-TK3224CSW	32	4000K	2900	24	White	Non Dimmable
EN-TK3245CSBLK	32	3000K	2900	45	Black	Non Dimmable
EN-TK3245CSBLK	32	3500K	3100	45	Black	Non Dimmable
EN-TK3245CSBLK	32	4000K	2900	45	Black	Non Dimmable
EN-TK3245CSW	32	3000K	2900	45	White	Non Dimmable
EN-TK3245CSW	32	3500K	3100	45	White	Non Dimmable
EN-TK3245CSW	32	4000K	2900	45	White	Non Dimmable

Line Drawing

Polar Curve

Colour

Feature & Benefits

- Colour temperature can be switched between 3000K, 3500K and 4000K
- Select colour temperature prior to installation
- CRI90
- SDCM < 4
- 330° Adjustable Rotation & 100° Tilt
- Supplied with Global standard compatible 3-track adaptor
- Available in 24° or 45° beam angle
- Available in Black and White finishes
- L70 50,000hrs
- 5 Year Warranty
- 3 year onsite warranty (registration required) *Terms and conditions apply

Product Specs:

Input Voltage	220~240V AC	Input Frequency	50/60HZ
Power Factor	0.9	IP Rating	IP20
Lifetime L70 (hrs)	50000hrs	IK Rating	IK07
Length (mm)	140	Overall Diameter (mm)	96
Weight (Kg)	0.93	Height (mm)	205
Product Type	Track	Operating Temp. (Min) °C	-20°C
Operating Temp. (Max) °C	45°C		

Compliance & Approvals:



Warranty:

This product has a warranty period of 5 Years. Warranties may be available on certain products as indicated in the product description. Warranties are valid from the date of purchase. The warranty is invalid in the case of improper use, installation, tampering, removal of the Q.C. date label or installation in an improper working environment or installation. Should this product fail during the warranty period it will be replaced free of charge, subject to the correct installation of the original product and subsequent return of the faulty unit. Aurora does not accept responsibility for any installation costs associated with the replacement of this product and Aurora reserves the right to alter specifications without prior notice.